Degradates Provide Insight to Spatial and Temporal Trends of Herbicides in Ground Water, by D.W. Kolpin, D.J. Schnoebelen, E.M. Thurman, 601–608.

Reactive Barriers: Hydraulic Performance and Design Enhancements, by B.D.M. Painter, 609–617.

Volume 42, No. 5

Modeling Multiscale Heterogeneity and Aquifer Interconnectivity, by C.J. Proce, R.W. Ritzi, D.F. Dominic, Z. Dai, 658–670.

Integrated Geophysical and Chemical Study of Saline Water Intrusion, by K. Choudhury, D.K. Saha, 671–677.

Use of Rhodamine Water Tracer in the Marshland Upwelling System, by S.D. Richardson, C.S. Willson, K.A. Rusch, 678–688.

A Method for Evaluating Horizontal Well Pumping Tests, by D.E. Langseth, A.H. Smyth, J. May, 689–699.

Ground Water Flow Parameterization of an Appalachian Coal Mine Complex, by W.R. Winters, R.C. Capo, 700–710.

Sequential Analysis of Hydrochemical Data for Watershed Characterization, by G. Thyne, C. Güler, E. Poeter, 711–723.

Full-Bayesian Inversion of the Edwards Aquifer, by Y. Jiang, A.D. Woodbury, S. Painter, 724–733.

A Practical Model for Mobile, Residual, and Entrapped NAPL in Water-Wet Porous Media, by M.D. White, M. Oostrom, R.J. Lenhard, 734–746.

Analytical and Numerical Models to Explain Steady Rates of Spring Flow, by S.K. Swanson, J.M. Bahr, 747–759.

Scale Effect and Calibration of Contaminant Transport Models, by F. Wang, J. Bright, 760–766.

Transport of Pharmaceutically Active Compounds in Saturated Laboratory Columns, by T. Scheytt, P. Mersmann, M. Leidig, A. Pekdeger, T. Heberer, 767–773.

A Tracer Dilution Method for Fracture Characterization in Bedrock Wells, by R.J. Brainerd, G.A. Robbins, 774–780.

Volume 42, No. 6

Comparison of Single- and Dual-Domain Subsurface Transport Models, by G.P. Flach, S.A. Crisman, F.J. Molz III, 815–828.

Important Observations and Parameters for a Salt Water Intrusion Model, by W.B. Shoemaker, 829–840.

Aquifer Vulnerability to Pesticide Migration Through Till Aquitards, by P.R. Jørgensen, L.D. McKay, J.P. Kistrup, 841–855.

Combining Pump-and-Treat and Physical Barriers for Contaminant Plume Control, by P. Bayer, M. Finkel, G. Teutsch, 856–867.

Environmental Isotopes as Indicators for Ground Water Recharge to Fractured Granite, by U.S. Ofterdinger, W. Balderer, S. Loew, P. Renard, 868–879.

Hydraulics of Recirculating Well Pairs for Ground Water Remediation, by J.A. Cunningham, T.P. Hoelen, G.D. Hopkins, C.A. Lebrón, M. Reinhard, 880–889.

Estimation of Hydraulic Conductivity in an Alluvial System Using Temperatures, by G.W. Su, J. Jasperse, D. Seymour, J. Constantz, 890–901.

Variations of Bromide in Potable Ground Water in the United States, by S.N. Davis, J.T. Fabryka-Martin, L.E. Wolfsberg, 902–909.

Modeling Multiaquifer Wells with MODFLOW, by C.J. Neville, M.J. Tonkin, 910–919.

Matching Solute Breakthrough with Deterministic and Stochastic Aquifer Models, by L.D. Lemke, W.A. Barrack II, L.M. Abriola, P. Goovaerts, 920–934.

NGWA.org
The best way to start your day.

Make NGWA.org, the Web site of the National Ground Water Association, your first stop of the day. Here you can get the latest ground water news, keep current on legislative developments affecting the industry, and sign up for NGWA courses and conferences. In addition, site features include:

- A career center where you can either post or view available jobs and resumes.
- News of NGWA's three award-winning publications.
- Searchable buyers guides.
- An industrywide events calendar.
- Resources for ground water educators.
- Ground Water On-Line®, a database with more than 90,000 ground water citations.
- A virtual museum of ground water history.
- A members-only section with exclusive news for you to use.
- And a whole lot more.

Visit www.NGWA.org today and see why more than 50,000 people a month stop by.

national ground water association

Address/ 601 Dempsey Road/ Westerville, Ohio 43081-8978
Phone/ Toll-free 800 551.7379/ 614 898.7791 Fax/ 614 898.7786
Web/ www.ngwa.org and wellowner.org



Volume 42, No. 7 (CD only)

Ecological Consequences of Ground Water Discharge to Delaware Bay, United States, by D.C. Miller, W.J. Ullman, 959–970.

Tidal Effects on Ground Water Discharge Through a Sandy Marine Beach, by D.W. Urish, T.E. McKenna, 971–982.

Submarine Ground Water Discharge and Salt Penetration Across the Sea Floor, by H. Bokuniewicz, M. Pollock, J. Blum, R. Wilson, 983–989.

Tidal Load and Salt Water Influences on Submarine Ground Water Discharge, by R.J. Paulsen, D. O'Rourke, C.F. Smith, T.-F. Wong, 990–999.

Enhanced Submarine Ground Water Discharge from Mixing of Pore Water and Estuarine Water, by J.B. Martin, J.E. Cable, P.W. Swarzenski, M.K. Lindenberg, 1000–1010.

Advection Within Shallow Pore Waters of a Coastal Lagoon, Florida, by J.E. Cable, J.B. Martin, P.W. Swarzenski, M.K. Lindenberg, J. Steward, 1011–1020.

Ground Water Beneath Coastal Bays of the Delmarva Peninsula: Ages and Nutrients, by J.F. Bratton, J.K. Böhlke, F.T. Manheim, D.E. Krantz, 1021–1034.

Hydrogeologic Setting and Ground Water Flow Beneath a Section of Indian River Bay, Delaware, by D.E. Krantz, F.T. Manheim, J.F. Bratton, D.J. Phelan, 1035–1051.

Studying Ground Water Under Delmarva Coastal Bays Using Electrical Resistivity, by F.T. Manheim, D.E. Krantz, J.F. Bratton, 1052–1068.

Effects of Aquifer Travel Time on Nitrogen Transport to a Coastal Embayment, by J.A. Colman, J.P. Masterson, W.J. Pabich, D.A. Walter, 1069–1078.

Septic Tank Impacts on Ground Water Quality and Nearshore Sediment Nutrient Flux, by W.G. Reay, 1079–1089.

Ground Water Recharge and Discharge in the Central Everglades, by J.W. Harvey, S.L. Krupa, J.M. Krest, 1090–1102.

Book Reviews

Sustainable Groundwater Development, ed. K.M. Hiscock, M.O. Rivett, R.M. Davison. Reviewed by W.M. Alley, v. 42, no. 1: 6–7.

Arsenic in Ground Water: Geochemistry and Occurrence, ed. A.H. Welch, K.G. Stollenwerk. Reviewed by C. Harvey, v. 42, no. 2: 162–163.

Environmental Applications of Geochemical Modeling, by C. Zhu and G. Anderson. Reviewed by W.J. Harrison, v. 42, no. 3: 325.

Applied Stochastic Hydrology, by Y. Rubin. Reviewed by R. Beckie, v. 42, no. 6: 800–802.

Computer Notes

A Program for Evaluating Dual-Equilibrium Desorption Effects on Remediation, by W. Chen, K. Lakshmanan, A.T. Kan, M.B. Tomson, v. 42, no. 4: 620–624.

A Simple Approach Using Bouwer and Rice's Method for Slug Test Data Analysis, by S.-Y. Yang, H.-D. Yeh, v. 42, no. 5: 781–784.

A Procedure for Automated Analysis of Brief Pumping Tests of Domestic Wells, by K. Klusman, v. 42, no. 6: 945–948.

Discussions of Papers

Methods to Determine Storativity of Infinite Confined Aquifers from a Recovery Test, by D. Chenaf, R.P. Chapuis (v. 40, no. 4: 385–389). Discussion by M.W. Kawecki, v. 42, no. 1: 135–137.

Scholarships for the Future



The Len Assante Scholarship Fund of the National Ground Water Research and Educational Foundation annually provides scholarships to industry young people pursuing college educations.

Your tax-deductible charitable contribution will help us sustain this important program.

Established in 1994, NGWREF is operated as a 501c (3) foundation by the National Ground Water Association and is focused on education, research, and other charitable activities related to a broader understanding of ground water.

National Ground Water Research and Educational Foundation

601 Dempsey Road
Westerville, Ohio 43081
800 551.7379

www.ngwa.org/ngwef/ngwef.html

national ground water
research and educational foundation

Implications of Observed and Simulated Ambient Flow in Monitoring Wells, by A. Elci, F.J. Molz III, W.R. Waldrop (v. 39, no. 6: 853–862). Discussion by F.L. Paillet, v. 42, no. 1: 137–139.

Analytical Model for Aquifer Response Incorporating Distributed Stream Leakage, by G.A. Fox, P. DeChateau, D.S. Durnford (v. 40, no. 4: 378–384). Discussion by B. Hunt, v. 42, no. 1: 139–140.

A Reassessment of Ground Water Flow Conditions and Specific Yield at Borden and Cape Cod, by G. Grimestad (v. 40, no. 1: 14–24). Discussion by R.W. Gillham and J.W. Roy, v. 42, no. 3: 456–457.

Comparison of Continuous and Cyclic Pumping from a Well, by M.W. Kawecki (v. 39, no. 4: 631–633). Discussion by R. Srivastava, v. 42, no. 3: 457–458.

The Water Budget Myth Revisited: Why Hydrogeologists Model, by J.D. Bredehoft (v. 40, no. 4: 340–345). Discussion by M. Sophocleous, v. 42, no. 4: 618–619.

From Models to Performance Assessment: The Conceptualization Problem, by J.D. Bredehoft (v. 41, no. 5: 571–577). Discussion by S.P. Neuman, v. 42, no. 5: 785–787.

A Stream Depletion Field Experiment, by B. Hunt, J. Weir, B. Clausen (v. 39, no. 2: 283–289). Discussion by S.K. Singh, v. 42, no. 5: 787–789.

Editorials

To Be or Not to Be . . ., by M.P. Anderson, v. 42, no. 1: 1.

Keep It Clean and Do the Research, by H.R. Wanless, v. 42, no. 2: 157.

Management of a Coastal Aquifer, by J. Bear, v. 42, no. 3: 317.

More Data Required, by K.J. Halford, v. 42, no. 4: 477.

Climate Change: Why Should Water Professionals Care? by M. Sophocleous, v. 42, no. 5: 637.

Nothing Older Than Three Years, by C.E. Neuzil, v. 42, no. 6: 797.

Historical Notes

Personal Reflections on Saratoga Springs, New York: Hydrogeological and Horse Racing 'Hot Spot' of the East, by D.I. Siegal, v. 42, no. 1: 141–143.

A Missing Link in the Historical Development of Hydrogeology, by D.B. Stephens, M.D. Ankeny, v. 42, no. 2: 304–309.

Walter Curran Mendenhall: Quaker Scientist, by D. Deming, v. 42, no. 3: 465–471.

A Brief History of Contributions to Ground Water Hydrology by the U.S. Geological Survey, by T.E. Reilly, v. 42, no. 4: 625–631.

Hydrogeology: A Short History, Part 1, by C.W. Fetter Jr., v. 42, no. 5: 790–792.

Hydrogeology: A Short History, Part 2, by C.W. Fetter Jr., v. 42, no. 6: 949–953.

Issue Papers

The Journey from Safe Yield to Sustainability, by W.M. Alley, S.A. Leake, v. 42, no. 1: 12–16.

Can the Desert Bloom? Lessons Learned from the Israeli Case, by R. Nativ, v. 42, no. 5: 651–657.

Defining and Managing Sustainable Yield, by M. Maimone, v. 42, no. 6: 809–814.

Review Papers

Validation of Numerical Ground Water Models Used to Guide Decision Making, by A.E. Hassan, v. 42, no. 2: 277–290.

Magnetic Resonance Sounding: New Method for Ground Water Assessment, by M. Lubczynski, J. Roy, v. 42, no. 2: 291–303.

AGWSE Corporate Members:

Don't miss out!

Did you know that an AGWSE corporate membership provides benefits for three individuals? Each member receives publications, newsletters, and journals. If you have not enrolled three individuals on your corporate membership, you're missing out on valuable benefits and resources from NGWA!

Take a moment to review your AGWSE corporate membership and be sure you are taking full advantage of your membership privileges. If you need assistance or would like to know who is included on your membership, contact NGWA Customer Service or the Membership Department at 800 551.7379.

national ground water association

Software Spotlight

Interactive Models for Ground Water Flow and Solute Transport. Reviewed by T. Scheibe, v. 42, no. 1: 8–11.

Model Viewer: A Three-Dimensional Visualization Tool for Ground Water Modelers. Reviewed by C. Zheng, v. 42, no. 2: 164–166.

AqQA: Quality Assurance and Presentation Graphics for Ground Water Analyses. Reviewed by G. Tick, D. Vlassopoulos, v. 42, no. 3: 326–328.

STANMOD: A Suite of Windows-Based Programs for Evaluating Solute Transport. Reviewed by D.T. Feinstein, W. Gui, v. 42, no. 4: 482–487.

SEAWAT-2000: Variable-Density Flow Processes and Integrated MT3DMS Transport Processes. Reviewed by M.J. Simpson, v. 42, no. 5: 642–645.

SVFlux and ChemFlux: Software for Two-Dimensional/Three-Dimensional Finite Element Variably Saturated Flow and Transport Modeling. Reviewed by P.A. Hsieh, S. Matott, v. 42, no. 6: 804–808.

Special Interest Groups

Field Evaluation of Emergency Well Disinfection for Contamination Events, by S. Smith, v. 42, no. 1: 3–4.

NGWA Interest Group Report from Orlando, by S.E. Ragone, S. Masters, v. 42, no. 2: 158–160.

Serving Ground Water Data on the Internet: Issues for the Future, by Ralph J. Haefner, A.S. Andres, v. 42, no. 3: 323–324.

Ground Water Availability: The Challenge Ahead in Water-Scarce Regions, by M.J. Moran, v. 42, no. 4: 480.

Technical Notes

Hydraulic Conductivity Prediction for Sandy Soils, by A.E. Cronican, M.M. Gribb, v. 42, no. 3: 459–464.

A Critical Analysis of the Cumulative Rainfall Departure Concept, by K. Weber, M. Stewart, v. 42, no. 6: 935–938.

Noise in Pressure Transducer Readings Produced by Variations in Solar Radiation, by S.F. Cain, G.A. Davis, S.P. Loheide, J.J. Butler, v. 42, no. 6: 939–944.

A Comprehensive & Flexible Groundwater & Borehole Data Management System!

HydroGeo Analyst

HydroGeo Analyst, developed by Waterloo Hydrogeologic, Inc., represents the ***next generation*** in groundwater and borehole data management and visualization technology. HydroGeo Analyst integrates a complete range of easy-to-use analysis and reporting tools, with a powerful yet extremely flexible database technology - **all wrapped into an innovative graphical user interface!**

Call (519) 746-1798 to order your copy!

HydroGeo Analyst seamlessly integrates these power-features:

- ▶ **Project Wizard:** database creation, client management, etc.
- ▶ **Data Transfer System:** validating and importing YOUR data
- ▶ **Template Manager:** manage database tables, fields, templates
- ▶ **Materials Specification Editor:** manages all soil classifications
- ▶ **Query Builder:** on-the-fly, map-ready data querying
- ▶ **Map Manager:** GIS mapping, contouring, gridding, etc.
- ▶ **Cross-Section Editor:** geologic, hydrogeologic, model layers
- ▶ **HGA 3D-Explorer:** 3D visualization and animation
- ▶ **Borehole Log Plotter:** borehole log design/plotting
- ▶ **Report Manager:** fully customizable reports



U.S. EPA Regions 2 & 5
Database Templates Included, Plus More!

Introductory Price!
$2995
Single User

Phone: (519) 746-1798
E-mail: sales@waterloohydrogeologic.com
For a FREE DEMO or Catalog, visit www.waterloohydrogeologic.com/software.htm

waterloo hydrogeologic
SOFTWARE · CONSULTING · TRAINING

Author Index of Volume 42, 2004

Allen, D.M., *Sources of Ground Water Salinity on Islands Using ^{18}O, ^{2}H, and ^{34}S*, v. 42, no. 1: 17–31.

Alley, W.M., reviewer, *Sustainable Groundwater Development*, ed. K.M. Hiscock, M.O. Rivett, R.M. Davison, v. 42, no. 1: 6–7.

Alley, W.M., S.A. Leake, *The Journey from Safe Yield to Sustainability*, v. 42, no. 1: 12–16.

Anderson, M.P., *To Be or Not to Be . . .*, v. 42, no. 1: 1.

Batelaan, O., F. De Smedt, *SEEPAGE, a New MODFLOW DRAIN Package*, v. 42, no. 4: 576–588.

Baú, D., M. Ferronato, G. Gambolati, P. Teatini, *Surface Flow Boundary Conditions in Modeling Land Subsidence Due to Fluid Withdrawal*, v. 42, no. 4: 516–525.

Bayer, P., M. Finkel, G. Teutsch, *Combining Pump-and-Treat and Physical Barriers for Contaminant Plume Control*, v. 42, no. 6: 856–867.

Bear, J., *Management of a Coastal Aquifer*, v. 42, no. 3: 317.

Beckie, R., reviewer, *Applied Stochastic Hydrology*, by Y. Rubin, v. 42, no. 6: 800–802.

Bokuniewicz, H., M. Pollock, J. Blum, R. Wilson, *Submarine Ground Water Discharge and Salt Penetration Across the Sea Floor*, v. 42, no. 7: 983–989.

Brainerd, R.J., G.A. Robbins, *A Tracer Dilution Method for Fracture Characterization in Bedrock Wells*, v. 42, no. 5: 774–780.

Bratton, J.F., J.K. Böhlke, F.T. Manheim, D.E. Krantz, *Ground Water Beneath Coastal Bays of the Delmarva Peninsula: Ages and Nutrients*, v. 42, no. 7: 1021–1034.

Cable, J.E., J.B. Martin, P.W. Swarzenski, M.K. Lindenberg, J. Steward, *Advection Within Shallow Pore Waters of a Coastal Lagoon, Florida*, v. 42, no. 7: 1011–1020.

Cain, S.F., G.A. Davis, S.P. Loheide, J.J. Butler, *Noise in Pressure Transducer Readings Produced by Variations in Solar Radiation*, v. 42, no. 6: 939–944.

Chen, W., K. Lakshmanan, A.T. Kan, M.B. Tomson, *A Program for Evaluating Dual-Equilibrium Desorption Effects on Remediation*, v. 42, no. 4: 620–624.

Chen, X., Y. Yin, *Semianalytical Solutions for Stream Depletion in Partially Penetrating Streams*, v. 42, no. 1: 92–96.

Cherkauer, D.S., *Quantifying Ground Water Recharge at Multiple Scales Using PRMS and GIS*, v. 42, no. 1: 97–110.

Choudhury, K., D.K. Saha, *Integrated Geophysical and Chemical Study of Saline Water Intrusion*, v. 42, no. 5: 671–677.

Clark, J.F. G.B. Hudson, M.L. Davisson, G. Woodside, R. Herndon, *Geochemical Imaging of Flow Near an Artificial Recharge Facility, Orange County, California*, v. 42, no. 2: 167–174.

Colman, J.A., J.P. Masterson, W.J. Pabich, D.A. Walter, *Effects of Aquifer Travel Time on Nitrogen Transport to a Coastal Embayment*, v. 42, no. 7: 1069–1078.

Conant Jr., B., *Delineating and Quantifying Ground Water Discharge Zones Using Streambed Temperatures*, v. 42, no. 2: 243–257.

Cosler, D.J., *Effects of Rate-Limited Mass Transfer on Water Sampling with Partially Penetrating Wells*, v. 42, no. 2: 203–222.

Cronican, A.E., M.M. Gribb, *Hydraulic Conductivity Prediction for Sandy Soils*, v. 42, no. 3: 459–464.

Cunningham, J.A., T.P. Hoelen, G.D. Hopkins, C.A. Lebrón, M. Reinhard, *Hydraulics of Recirculating Well Pairs for Ground Water Remediation*, v. 42, no. 6: 880–889.

Davis, S.N., J.T. Fabryka-Martin, L.E. Wolfsberg, *Variations of Bromide in Potable Ground Water in the United States*, v. 42, no. 6: 902–909.

Deming, D., *Walter Curran Mendenhall: Quaker Scientist*, v. 42, no. 3: 465–471.

Dowling, C.B., R.J. Poreda, A.G. Hunt, A.E. Carey, *Ground Water Discharge and Nitrate Flux to the Gulf of Mexico*, v. 42, no. 3: 401–417.

Feinstein, D.T., W. Guo, reviewers, *STANMOD: A Suite of Windows-Based Programs for Evaluating Solute Transport*, v. 42, no. 4: 482–487.

Fetter Jr., C.W., *Hydrogeology: A Short History, Part 1*, v. 42, no. 5: 790–792.

Fetter Jr., C.W., *Hydrogeology: A Short History, Part 2*, v. 42, no. 6: 949–953.

Feyen, L., A.M. Dessalegn, F. De Smedt, S. Gebremeskel, O. Batelaan, *Application of a Bayesian Approach to Stochastic Delineation of Capture Zones*, v. 42, no. 4: 542–551.

Flach, G.P., S.A. Crisman, F.J. Molz III, *Comparison of Single- and Dual-Domain Subsurface Transport Models*, v. 42, no. 6: 815–828.

Frost, C.D., R.N. Toner, *Strontium Isotopic Identification of Water-Rock Interaction and Ground Water Mixing*, v. 42, no. 3: 418–432.

Gillham, R.W., J.W. Roy, discussion regarding *A Reassessment of Ground Water Flow Conditions and Specific Yield at Borden and Cape Cod*, by G. Grimestad (v. 40, no. 1: 14–24), v. 42, no. 3: 456–457.

Gotkowitz, M.B., M.E. Schreiber, J.A. Simo, *Effects of Water Use on Arsenic Release to Well Water in a Confined Aquifer*, v. 42, no. 4: 568–575.

Haefner, R.J., A.S. Andres, *Serving Ground Water Data on the Internet: Issues for the Future*, v. 42, no. 3: 323–324.

Halford, K.J., *More Data Required*, v. 42, no. 4: 477.

Harrison, W.J., reviewer, *Environmental Applications of Geochemical Modeling*, by C. Zhu and G. Anderson, v. 42, no. 3: 325.

Harvey, C., reviewer, *Arsenic in Ground Water: Geochemistry and Occurrence*, ed. A.H. Welch, K.G. Stollenwerk, v. 42, no. 2: 162–163.

Harvey, J.W., S.L. Krupa, J.M. Krest, *Ground Water Recharge and Discharge in the Central Everglades*, v. 42, no. 7: 1090–1102.

Hassan, A.E., *Validation of Numerical Ground Water Models Used to Guide Decision Making*, v. 42, no. 2: 277–290.

Hassan, A.E., *A Methodology for Validating Numerical Ground Water Models*, v. 43, no. 3: 347–362.

Hawkins, J.W., *Predictability of Surface Mine Spoil Hydrologic Properties in the Appalachian Plateau*, v. 42, no. 1: 119–125.

Heilweil, V.M., D.K. Solomon, K.S. Perkins, K.M. Ellett, *Gas-Partitioning Tracer Test to Quantify Trapped Gas During Recharge*, v. 42, no. 4: 589–600.

Hemker, K., E. van den Berg, M. Bakker, *Ground Water Whirls*, v. 42, no. 2: 234–242.

Herczeg, A.L., K.J. Rattray, P.J. Dillon, P. Pavelic, K.E. Barry, *Geochemical Processes During Five Years of Aquifer Storage Recovery*, v. 42, no. 3: 438–445.

Houben, G.J., *Modeling the Buildup of Iron Oxide Encrustations in Wells*, v. 42, no. 1: 78–82.

Hsieh, P.A., S. Matott, reviewers, *SVFlux and ChemFlux: Software for Two-Dimensional/Three-Dimensional Finite Element Variably Saturated Flow and Transport Modeling*, v. 42, no. 6: 804–808.

Hunt, B., discussion regarding *Analytical Model for Aquifer Response Incorporating Distributed Stream Leakage*, by G.A. Fox, P. DeChateau, D.S. Durnford (v. 40, no. 4: 378–384), v. 42, no. 1: 139–140.

Jiang, Y., A.D. Woodbury, S. Painter, *Full-Bayesian Inversion of the Edwards Aquifer*, v. 42, no. 5: 724–733.

Jørgensen, P.R., L.D. McKay, J.P. Kistrup, *Aquifer Vulnerability to Pesticide Migration Through Till Aquitards*, v. 42, no. 6: 841–855.

Kawecki, M.W., discussion regarding *Methods to Determine Storativity of Infinite Confined Aquifers from a Recovery Test*, by D. Chenaf, R.P. Chapuis (v. 40, no. 4: 385–389), v. 42, no. 1: 135–137.

Kim, Y., J.D. Istok, L. Semprini, *Push-Pull Tests for Assessing In Situ Aerobic Cometabolism*, v. 42, no. 3: 329–337.

Klusman, K., *A Procedure for Automated Analysis of Brief Pumping Tests of Domestic Wells*, v. 42, no. 6: 945–948.

Kolpin, D.W., D.J. Schnoebelen, E.M. Thurman, *Degradates Provide Insight to Spatial and Temporal Trends of Herbicides in Ground Water*, v. 42, no. 4: 601–608.

Krantz, D.E., F.T. Manheim, J.F. Bratton, D.J. Phelan, *Hydrogeologic Setting and Ground Water Flow Beneath a Section of Indian River Bay, Delaware*, v. 42, no. 7, 1035–1051.

LaBrecque, D.J., R. Sharpe, T. Wood, G. Heath, *Small-Scale Electrical Resistivity Tomography of Wet Fractured Rocks*, v. 42, no. 1: 111–118.

Lahvis, M.A., A.L. Baehr, R.J. Baker, *Evaluation of Volatilization as a Natural Attenuation Pathway for MTBE*, v. 42, no. 2: 258–267.

Land, L.A., J.C. Lautier, N.C. Wilson, G. Chianese, S. Webb, *Geophysical Monitoring and Evaluation of Coastal Plain Aquifers*, v. 42, no. 1: 59–67.

Langseth, D.E., A.H. Smyth, J. May, *A Method for Evaluating Horizontal Well Pumping Tests*, v. 42, no. 5: 689–699.

Legchenko, A., J.-M. Baltassat, A. Bobachev, C. Martin, H. Robain, J.-M. Vouillamoz, *Magnetic Resonance Sounding Applied to Aquifer Characterization*, v. 42, no. 3: 363–373.

Lemke, L.D., W.A. Barrack II, L.M. Abriola, P. Goovaerts, *Matching Solute Breakthrough with Deterministic and Stochastic Aquifer Models*, v. 42, no. 6: 920–934.

Lenczewski, M.E., L.D. McKay, A. Layton, *Anaerobic Biodegradation of TCE in Laboratory Columns of Fractured Saprolite*, v. 42, no. 4: 534–541.

Lewandowski, G., G. Mortimer, *Estimation of Anaerobic Biodegradation Rate Constants at MGP Sites*, v. 42, no. 3: 433–437.

Liu, Z., C. Groves, D. Yuan, J. Meiman, *South China Karst Aquifer Storm-Scale Hydrochemistry*, v. 42, no. 4: 491–499.


PLAN NOW TO ATTEND!
2005 Ground Water Summit
April 17–20, 2005 ♦ San Antonio, Texas
Keynote by T. Boone Pickens • 23 Technical Sessions
2 Field Trips • 3 One-Day Workshops • Darcy Forum
Student Activities • Poster Presentations • Exhibits
national ground water association
agwse division
Don't miss this meeting for ground water professionals addressing science, technology, and policy. Visit the NGWA Web site for the latest Ground Water Summit details at www.NGWA.org/e/conf/0504175095.shtml or call 800 551.7279.

Lubczynski, M., J. Roy, *Magnetic Resonance Sounding: New Method for Ground Water Assessment*, v. 42, no. 2: 291–303.
Maimone, M. *Defining and Managing Sustainable Yield*, v. 42, no. 6: 809–814.
Manheim, F.T., D.E. Krantz, J.F. Bratton, *Studying Ground Water Under Delmarva Coastal Bays Using Electrical Resistivity*, v. 42, no. 7: 1052–1068.
Mao, M., L. Ren, *Simulating Nonequilibrium Transport of Atrazine Through Saturated Soil*, v. 42, no. 4: 500–508.
Martin, J.B., J.E. Cable, P.W. Swarzenski, M.K. Lindenberg, *Enhanced Submarine Ground Water Discharge from Mixing of Pore Water and Estuarine Water*, v. 42, no. 7: 1000–1010.
Masterson, J.P., D.A. Walter, D.R. LeBlanc, *Transient Analysis of the Source of Water to Wells: Cape Cod, Massachusetts*, v. 42, no. 1: 126–134.
Miller, D.C., W.J. Ullman, *Ecological Consequences of Ground Water Discharge to Delaware Bay, United States*, v. 42, no. 7: 959–970.
Moench, A.F., *Importance of the Vadose Zone in Analyses of Unconfined Aquifer Tests*, v. 42, no. 2: 223–233.
Moran, M.J., *Ground Water Availability: The Challenge Ahead in Water-Scarce Regions*, v. 42, no. 4: 480.
Nativ, R., *Can the Desert Bloom? Lessons Learned from the Israeli Case*, v. 42, no. 5: 651–657.
Neuman, S.P., discussion regarding *From Models to Performance Assessment: The Conceptualization Problem*, by J.D. Bredehoft (v. 41, no. 5: 571–577), v. 42, no. 5: 785–787.
Neupauer, R.M., J.L. Wilson, *Numerical Implementation of a Backward Probabilistic Model of Ground Water Contamination*, v. 42, no. 2: 175–189.
Neuzil, C.E., *Nothing Older Than Three Years*, v. 42, no. 6: 797.
Neville, C.J., M.J. Tonkin, *Modeling Multiaquifer Wells with MODFLOW*, v. 42, no. 6: 910–919.
Ofterdinger, U.S., W. Balderer, S. Loew, P. Renard, *Environmental Isotopes as Indicators for Ground Water Recharge to Fractured Granite*, v. 42, no. 6: 868–879.
Paillet, F.L., discussion regarding *Implications of Observed and Simulated Ambient Flow in Monitoring Wells*, by A. Elci, F.J. Molz III, W.R. Waldrop (v. 39, no. 6: 853–862), v. 42, no. 1: 137–139.
Painter, B.D.M., *Reactive Barriers: Hydraulic Performance and Design Enhancements*, v. 42, no. 4: 609–617.
Paulsen, R.J., D. O'Rourke, C.F. Smith, T.-F. Wong, *Tidal Load and Salt Water Influences on Submarine Ground Water Discharge*, v. 42, no. 7: 990–999.
Personné, J.-C., F. Poty, B.J. Mahler, C. Drogue, *Colonization by Aerobic Bacteria in Karst: Laboratory and In Situ Experiments*, v. 42, no. 4: 526–533.
Pope, J.P., T.J. Burbey, *Multiple-Aquifer Characterization from Single Borehole Extensometer Records*, v. 42, no. 1: 45–58.
Proce, C.J., R.W. Ritzi, D.F. Dominic, Z. Dai, *Modeling Multiscale Heterogeneity and Aquifer Interconnectivity*, v. 42, no. 5: 658–670.
Ragone, S.E., S. Masters, *NGWA Interest Group Report from Orlando*, v. 42, no. 2: 158–160.
Reay, W.G., *Septic Tank Impacts on Ground Water Quality and Nearshore Sediment Nutrient Flux*, v. 42, no. 7: 1079–1089.
Reed, P.M., T.R. Ellsworth, B.S. Minsker, *Spatial Interpolation Methods for Nonstationary Plume Data*, v. 42, no. 2: 190–202.

METALS REMEDIATION COMPOUND (MRC™)

MRC is a new, dual-purpose, injectable compound for the remediation of both dissolved metals and chlorinated solvents in groundwater.

- MRC facilitates the *In-Situ* Treatment of all metals including: chromium, nickel, cadmium, lead, mercury, and arsenic.
- Low-cost, no operations/maintenance and minimal site disturbance.
- Ideal for a range of sites and applications including barriers and source treatment.
- Treats co-mingled plumes containing both solvents and metals.
- Immobilizes metals and treats chlorinated solvents simultaneously.
- Easily applied with direct-push technology while a single injection will continue to remove metals for periods of up to 18 months.

MRC™
METALS REMEDIATION COMPOUND

For a free MRC application design and cost estimate contact Regenesis at 949-366-8000 or visit our website listed below.

REGENESIS
Leaders in Accelerated Natural Attenuation
www.regenesis.com

Reilly, T.E., *A Brief History of Contributions to Ground Water Hydrology by the U.S. Geological Survey*, v. 42, no. 4: 625–631.

Richardson, S.D., C.S. Willson, K.A. Rusch, *Use of Rhodamine Water Tracer in the Marshland Upwelling System*, v. 42, no. 5: 678–688.

Rosenberry, D.O., R.H. Morin, *Use of an Electromagnetic Seepage Meter to Investigate Temporal Variability in Lake Seepage*, v. 42, no. 1: 68–77.

Saiers, J.E., D.P. Genereux, C.H. Bolster, *Influence of Calibration Methodology on Ground Water Flow Predictions*, v. 42, no. 1: 32–44.

Salem, Z.E., M. Taniguchi, Y. Sakura, *Use of Temperature Profiles and Stable Isotopes to Trace Flow Lines: Nagaoka Area, Japan*, v. 42, no. 1: 83–91.

Sandrin, S.K., M.L. Brusseau, J.J. Piatt, A.A. Bodour, W.J. Blanford, N.T. Nelson, *Spatial Variability of In Situ Microbial Activity: Biotracer Tests*, v. 42, no. 3: 374–383.

Scheibe, T., reviewer, *Interactive Models for Ground Water Flow and Solute Transport*, v. 42, no. 1: 8–11.

Scheytt, T., P. Mersmann, M. Leidig, A. Pekdeger, T. Heberer, *Transport of Pharmaceutically Active Compounds in Saturated Laboratory Columns*, v. 42, no. 5: 767–773.

Screaton, E., J.B. Martin, B. Ginn, L. Smith, *Conduit Properties and Karstification in the Unconfined Floridan Aquifer*, v. 42, no. 3: 338–346.

Seiler, R.L., *Temporal Changes in Water Quality at a Childhood Leukemia Center*, v. 42, no. 3: 446–455.

Shoemaker, W.B., *Important Observations and Parameters for a Salt Water Intrusion Model*, v. 42, no. 6: 829–840.

Siegal, D.I., *Personal Reflections on Saratoga Springs, New York: Hydrogeological and Horse Racing 'Hot Spot' of the East*, v. 42, no. 1: 141–143.

Simposon, M.J., reviewer, *SEAWAT-2000: Variable-Density Flow Processes and Integrated MT3DMS Transport Processes*, v. 42, no. 5: 642–645.

Singh, S.K., discussion regarding *A Stream Depletion Field Experiment*, by B. Hunt, J. Weir, B. Clausen (v. 39, no. 2: 283–289), v. 42, no. 5: 787–789.

Smith, S., *Field Evaluation of Emergency Well Disinfection for Contamination Events*, v. 42, no. 1: 3–4.

Sophocleous, M., *Climate Change: Why Should Water Professionals Care?* v. 42, no. 7: 637.

Sophocleous, M., discussion regarding *The Water Budget Myth Revisited: Why Hydrogeologists Model*, by J.D. Bredehoft (v. 40, no. 4: 340–345), v. 42, no. 4: 618–619.

Srivastava, R., discussion regarding *Comparison of Continuous and Cyclic Pumping from a Well*, by M.W. Kawecki (v. 39, no. 4: 631–633), v. 42, no. 3: 457–458.

Stephens, D.B., M.D. Ankeny, *A Missing Link in the Historical Development of Hydrogeology*, v. 42, no. 2: 304–309.

Su, G.W., J. Jasperse, D. Seymour, J. Constantz, *Estimation of Hydraulic Conductivity in an Alluvial System Using Temperatures*, v. 42, no. 6: 890–901.

Swanson, S.K., J.M. Bahr, *Analytical and Numerical Models to Explain Steady Rates of Spring Flow*, v. 42, no. 5: 747–759.

national ground water association
it's more than just water

Order these new National Ground Water publications today!

The Hidden Sea: Ground Water, Springs, and Wells, 2nd Edition

by Francis H. Chapelle
NGWA (2000)

The Hidden Sea tells the story of human interaction with ground water throughout history. Chapelle divides the book into three sections: the folklore of ground water, the geology of aquifers, and the environmental problems occurring as the result of ground water contamination. The 238-page book also includes tables and illustrations. Written for the general reader, *The Hidden Sea* offers an entertaining examination of the ground water resource that will be meaningful to anyone who has ever drilled a well, soaked in a mineral spring, or just wondered why the tap water smelled funny.



238 pages/ 2000
Reference/ #T852
Member price/ $20.00
Nonmember price/ $25.00

The Compendium of Hydrogeology

by Robert Porges and Matthew Hammer

Written by practicing hydrogeologists, this inclusive handbook provides a concise, easy-to-use reference for hydrologic terms, equations, pertinent physical parameters, and acronyms.

303 pages/ 2001
Reference/ #T947
Member price/ $25.00
Nonmember price/ $31.25

For additional information on these titles, or any of the other titles offered through the NGWA Bookstore, call our Customer Service Department at 1 800 551.7379, or visit us on the Web at www.NGWA.org.

Thyne, G., C. Güler, E. Poeter, *Sequential Analysis of Hydrochemical Data for Watershed Characterization*, v. 42, no. 5: 711–723.

Tick, G., D. Vlassopoulos, reviewers, *AqQA: Quality Assurance and Presentation Graphics for Ground Water Analyses*, v. 42, no. 3: 326–328.

Urish, D.W., T.E. McKenna, *Tidal Effects on Ground Water Discharge Through a Sandy Marine Beach*, v. 42, no. 7: 971–982.

VanStone, N.A., R.M. Focht, S.A. Mabury, B. Sherwood Lollar, *Effect of Iron Type on Kinetics and Carbon Isotopic Enrichment of Chlorinated Ethylenes During Abiotic Reduction on Fe(0)*, v. 42, no. 2: 268–276.

Wang, F., J. Bright, *Scale Effect and Calibration of Contaminant Transport Models*, v. 42, no. 5: 760–766.

Wanless, H.R., *Keep It Clean and Do the Research*, v. 42, no. 2: 1.

Weber, K., M. Stewart, *A Critical Analysis of the Cumulative Rainfall Departure Concept*, v. 42, no. 6: 935–938.

White, M.D., M. Oostrom, R.J. Lenhard, *A Practical Model for Mobile, Residual, and Entrapped NAPL in Water-Wet Porous Media*, v. 42, no. 5: 734–746.

Wicks, C., C. Kelley, E. Peterson, *Estrogen in a Karsitic Aquifer*, v. 42, no. 3: 384–389.

Winters, W.R., R.C. Capo, *Ground Water Flow Parameterization of an Appalachian Coal Mine Complex*, v. 42, no. 5: 700–710.

Wood, W.W., T.F. Kraemer, A. Shapiro, *Radon (^{222}Rn) in Ground Water of Fractured Rocks: A Diffusion/Ion Exchange Model*, v. 42, no. 4: 552–567.

Yager, R.M., *Effects of Model Sensitivity and Nonlinearity on Nonlinear Regression of Ground Water Flow*, v. 42, no. 3: 390–400.

Yang, S.-Y., H.-D. Yeh, *A Simple Approach Using Bouwer and Rice's Method for Slug Test Data Analysis*, v. 42, no. 5: 781–784.

Zhang, F., Z. Zhou, Y. Huang, Z. Chen, *Determining the Permeability of Fractured Rocks Based on Joint Mapping*, 509–515.

Zheng, C., reviewer, *Model Viewer: A Three-Dimensional Visualization Tool for Ground Water Modelers*, v. 42, no. 2: 164–166.

- Short Course -

Hydrogeology of Fractured Rock:

Characterization, Monitoring, Assessment, and Remediation

February 21 - 24, 2005
Holiday Inn, Burlington, Vermont

5th OFFERING

Instructors:

***Dr. B.H. Kueper**, Queen's University*
***Dr. K.S. Novakowski**, Queen's University*

(Continuing Education Credits Available)

To obtain more information and a registration form, please contact knovakowski@cogeco.ca or visit www.fractured-rock.com


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
7.1